

**Amendment to the Claims:**

The following listing of claims replaces all prior versions and listings of the claims in this application:

**Listing of Claims:**

1. (Currently Amended) An applicator for distributing a substance onto a target surface, said applicator comprising:

- (a) a first side having a first internal surface and a first external surface;
- (b) a second side having a second internal surface and a second external surface;  
and
- (c) a flexible film dosing reservoir comprising a resealable channel ~~having a predetermined location and~~ in fluid communication with said reservoir, said reservoir containing a ~~product~~ substance for distributing onto a target surface and having a predetermined weak region, said reservoir being disposed between said first ~~internal~~ external surface of said first side and said second internal surface of said second side, said ~~product~~ substance being releasable from said reservoir through said resealable channel and through said first side to a ~~said~~ target surface by an application of pressure to said reservoir.

2. (Previously Presented) The applicator of claim 1, wherein a first substantially fluid-impervious barrier lay is located between said reservoir and said second internal surface of said second side.

3. (Previously Presented) The applicator of claim 1, wherein said applicator is selected from the group consisting of gloves, mitts, pads, and wipes.

4. (Original) The applicator of claim 1, wherein said flexible film dosing reservoir is rupturable.

5. (Previously Presented) The applicator of claim 4, wherein said flexible film dosing reservoir is rendered rupturable by a frangible seal.

6. (Previously Presented) The applicator of claim 5, wherein said flexible film dosing reservoir is foldable proximate to said frangible seal.

7-9. (Cancelled)

10. (Currently Amended) The applicator of claim 1, wherein said flexible film dosing reservoir further comprises a distribution head in fluid communication with said resealable channel through which said ~~product~~ substance is released from said reservoir to said first side.

11. (Currently Amended) The applicator of claim 1, wherein said flexible film dosing reservoir further comprises a plurality of compartments, each of said compartments containing a ~~product~~ substance for distributing on a target surface, said plurality of compartments being adapted to provide at least one function, wherein said function is selected from the group consisting of mixing, multiple dispensing, and sequential dispensing.

12. (Original) The applicator of claim 5, wherein said frangible seal has at least one stress concentrator.

13. (Previously Presented) The applicator of claim 2, further comprising a second substantially fluid-impervious barrier layer disposed between said first barrier layer and said second internal surface.

14. (Currently Amended) The applicator of claim 13, further comprising a second flexible film dosing reservoir containing a second ~~product~~ substance for distributing on a target surface.

15. (Previously Presented) The applicator of claim 1, wherein said flexible film dosing reservoir comprises a material capable of varying seal strengths.

16. (Previously Presented) The applicator of claim 1, wherein said first side is a substantially non-absorbent material.

17. (Original) The applicator of claim 1 wherein said second side is a substantially absorbent material.

18. (Previously Presented) The applicator of claim 1, further comprising a friction enhancing element located on at least one of said first and second sides.

19. (Previously Presented) The applicator of claim 1, wherein said at least one of said first and second sides is textured.

20. (Original) The applicator of claim 1, wherein said flexible film dosing reservoir is located to avoid inadvertent dispensing.

21. (Cancelled)

22. (Original) The applicator of claim 1, further comprising a temperature-changing element.

23. (Previously Presented) The applicator of claim 1, wherein at least one of said first and second sides comprises one or more removable layers.

24. (Cancelled)

25. (Currently Amended) An applicator for distributing a substance onto a target surface, said applicator comprising:

- (a) a first side having a first internal surface and a first external surface;
- (b) a second side having a second internal surface and a second external surface;
- (c) a rupturable laminate film reservoir comprising a resealable channel ~~having a predetermined location and~~ in fluid communication with said reservoir, said reservoir containing a ~~product~~ substance for distributing onto a target surface, said reservoir being disposed between said first ~~internal~~ external surface of said first side and said second internal surface of said second side, said ~~product~~ substance being releasable from said reservoir through said resealable channel through said first side to ~~said a~~ target surface via an application of pressure to said reservoir; and,
- (d) a flow restriction layer disposed between said reservoir and said first external surface.

26. (Previously Presented) The applicator of claim 25, wherein said reservoir is a flexible film reservoir.

27. (Previously Presented) The applicator of claim 25, wherein said applicator is selected from the group consisting of a glove, a mitt, a pad and a wipe.

28. (Previously Presented) The applicator of claim 25, said applicator further comprising a substantially fluid-impervious barrier layer disposed between said rupturable reservoir and said second internal surface.

29. (Currently Amended) An applicator for distributing a substance onto a target surface, said applicator comprising:

- (a) a first ~~substrate; and,~~ side having a first internal surface and a first external surface;
- (b) a second side having a second internal surface and a second external surface;  
and
- (c) ~~(b)~~ a flexible film dosing reservoir comprising at least one frangible seal and a distribution channel disposed proximate said seal, said reservoir containing a ~~product~~ substance for distributing onto a target surface; said reservoir being disposed adjacent to said first side ~~substate~~, said ~~product~~ substance being sequentially releasable through said seal and through said distribution channel to said first ~~substrate~~ side via multiple applications of pressure to said reservoir.

30. (Currently Amended) An applicator for distributing a substance onto a target surface, said applicator comprising:

- (a) a first ~~substrate~~; side having a first internal surface and a first external surface;
- (b) a second side having a second internal surface and a second external surface;
- (c) ~~(b)~~ a reservoir containing a substance for distributing onto a target surface ~~product~~, said reservoir being disposed adjacent to said first side ~~substrate~~ and having at least one weak region having a comparatively low burst force and a distribution channel ~~at a predetermined location~~ on said reservoir, said ~~product~~ substance being sequentially ~~released~~-releasable to said first ~~substrate~~ side through said channel via multiple applications of pressure to said reservoir; and,
- (d) ~~(e)~~ a flow restriction layer disposed between said reservoir and said first side ~~substrate~~.